

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition |
|---|------|-----|------|--|------------------------|---------------------|----------|------------------|
| 1 | BRS | L1 | 71 | (antifuse "anti-fuse" anti adj1 fuse) and (electromigrat\$3) | USPAT; US-PGP UB | 2002/05/31 18:44 | | |
| 2 | BRS | L2 | 75 | (antifus\$2 "anti-fus\$2" anti adj1 fus\$2) and (electromigrat\$3) | USPAT; US-PGP UB | 2002/05/31 19:03 | | |
| 3 | BRS | L3 | 2059 | (antifus\$2 "anti-fus\$2" anti adj1 fus\$2) | USPAT; US-PGP UB | 2002/05/31 18:44 | | |
| 4 | BRS | L4 | 37 | ((interconnection\$2)and (oxide nitride dielectric ILD)) and 2 | USPAT; US-PGP UB | 2002/05/31 18:46 | | |
| 5 | BRS | L5 | 391 | ((interconnection\$2)and (oxide nitride dielectric ILD)) and 3 | USPAT; US-PGP UB | 2002/05/31 19:06 | | |
| 6 | BRS | L6 | 10 | ((metal wiring)adj contact) (plug\$2)) and 4 | USPAT; US-PGP UB | 2002/05/31 18:48 | | |
| 7 | BRS | L7 | 117 | ((metal wiring)adj contact) (plug\$2)) and 5 | USPAT; US-PGP UB | 2002/05/31 19:07 | | |
| 8 | BRS | L8 | 0 | ((power potential voltage)near11(load)) same (prevent\$3 avoid\$4 minimiz\$4)) and 6 | USPAT; US-PGP UB | 2002/05/31 19:07 | | |
| 9 | BRS | L9 | 0 | ((power potential voltage)near11(load)) same (prevent\$3 avoid\$4 minimiz\$4)) and 7 | USPAT; US-PGP UB | 2002/05/31 18:51 | | |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition |
|----|------|-----|------|--|------------------------|---------------------|----------|------------------|
| 10 | BRS | L10 | 4256 | ((plasma ion)near3 (damag\$3)) and "10" | USPAT; US-PGP UB | 2002/05/31 18:52 | | |
| 11 | BRS | L11 | 0 | ((plasma ion)near3 (damag\$3)) and 6 | USPAT; US-PGP UB | 2002/05/31 19:08 | | |
| 12 | BRS | L12 | 5 | ((plasma ion)near3 (damag\$3)) and 7 | USPAT; US-PGP UB | 2002/05/31 18:56 | | |
| 13 | BRS | L13 | 0 | (area near3 connection) and 6 | USPAT; US-PGP UB | 2002/05/31 18:56 | | |
| 14 | BRS | L14 | 2 | (area near3 connection) and 7 | USPAT; US-PGP UB | 2002/05/31 19:11 | | |
| 15 | BRS | L15 | 0 | (load adj circuit) and 6 | USPAT; US-PGP UB | 2002/05/31 18:58 | | |
| 16 | BRS | L16 | 0 | (load adj circuit) and 7 | USPAT; US-PGP UB | 2002/05/31 18:58 | | |
| 17 | BRS | L17 | 0 | (load) and 6 | USPAT; US-PGP UB | 2002/05/31 19:12 | | |
| 18 | BRS | L18 | 28 | (load) and 7 | USPAT; US-PGP UB | 2002/05/31 18:58 | | |

| | Type | L # | Hits | Search Text | DBs | Time Stamp | Comments | Error Definition |
|----|------|-----|------|---|-----------------------------|---------------------|----------|------------------|
| 19 | BRS | L19 | 4 | (antifus\$2 "anti-fus\$2" anti adj1 fus\$2) and (electromigrat\$3) | EPO; JPO; DERWEN T | 2002/05/31 19:06 | | |
| 20 | BRS | L20 | 1300 | (antifus\$2 "anti-fus\$2" anti adj1 fus\$2) | EPO; JPO; DERWEN T | 2002/05/31 19:06 | | |
| 21 | BRS | L21 | 27 | ((interconnection\$2)and (oxide nitride dielectric ILD))and 20 | EPO; JPO; DERWEN T | 2002/05/31 19:06 | | |
| 22 | BRS | L22 | 1 | ((((metal wiring)adj contact) (plug\$2)) and 21 | EPO; JPO; DERWEN T | 2002/05/31 19:07 | | |
| 23 | BRS | L23 | 0 | ((((power potential voltage)and(load))and (prevent\$3 avoid\$4 minimiz\$4))and 20 | EPO; JPO; DERWEN T | 2002/05/31 19:08 | | |
| 24 | BRS | L24 | 3 | ((plasma ion)near3 (damag\$3))and 20 | EPO; JPO; DERWEN T | 2002/05/31 19:09 | | |
| 25 | BRS | L25 | 1 | (area near3 connection)and 20 | EPO; JPO; DERWEN T | 2002/05/31 19:11 | | |
| 26 | BRS | L26 | 15 | (load)and 20 | EPO; JPO; DERWEN T | 2002/05/31 19:13 | | |